

## NCERT Solutions Class 11 Maths Chapter 6 Linear Inequalities

### Question 1:

Solve  $24x < 100$ , when

- (i)  $x$  is a natural number      (ii)  $x$  is an integer

### Solution:

The given inequality is  $24x < 100$ ,

$$24x < 100$$

$$\Rightarrow \frac{24x}{24} < \frac{100}{24} \quad \text{[Dividing both sides by same positive number]}$$

$$\Rightarrow x < \frac{25}{6}$$

- (i) It is evident that 1, 2, 3 and 4 are the only natural numbers less than  $\frac{25}{6}$ .  
Thus, when  $x$  is a natural number, the solutions of the given inequalities are 1, 2, 3 and 4.  
Hence, in this case, the solution set is  $\{1, 2, 3, 4\}$ .

- (ii) The integer less than  $\frac{25}{6}$  are  $\dots -3, -2, -1, 0, 1, 2, 3, 4$ .  
Thus, when  $x$  is an integer, the solutions of the given inequality are  $\dots, -3, -2, -1, 0, 1, 2, 3, 4$ .  
Hence, in this case, the solution set is  $\{-3, -2, -1, 0, 1, 2, 3, 4\}$ .

### Question 2:

Solve  $-12x > 30$ , when

- (i)  $x$  is a natural number      (ii)  $x$  is an integer

### Solution:

The given inequality is  $-12x > 30$

$$\Rightarrow -12x > 30$$

$$\Rightarrow \frac{-12x}{-12} < \frac{30}{-12} \quad \text{[Dividing both sides by same negative number]}$$

$$\Rightarrow x < -\frac{5}{2}$$

- (i) There is no natural number less than  $\left(-\frac{5}{2}\right)$ .  
Thus, when  $x$  is a natural number, there is no solution of the given inequality.

(ii) The integer less than  $\left(-\frac{5}{2}\right)$  are  $\dots, -5, -4, -3$ .

Thus, when  $x$  is an integer, the solutions of the given inequality are  $\dots, -5, -4, -3$

Hence, in this case, the solution set is  $\{\dots, -5, -4, -3\}$ .

### Question 3:

Solve  $5x - 3 < 7$ , when

(i)  $x$  is an integer      (ii)  $x$  is a real number

#### Solution:

The given inequality is  $5x - 3 < 7$ .

$$\begin{aligned}5x - 3 &< 7 \\ \Rightarrow 5x - 3 + 3 &< 7 + 3 \\ \Rightarrow 5x &< 10 \\ \Rightarrow \frac{5x}{5} &< \frac{10}{5} \\ \Rightarrow x &< 2\end{aligned}$$

(i) The integers less than 2 are  $\dots, -4, -3, -2, -1, 0, 1$ .

Thus, when  $x$  is an integer, the solutions of the given inequality are  $\dots, -4, -3, -2, -1, 0, 1$

Hence, in this case, the solution set is  $\{\dots, -4, -3, -2, -1, 0, 1\}$

(ii) When  $x$  is a real number, the solutions of the given inequality are given by  $x < 2$  that is all real numbers  $x$  which are less than 2.

Thus, the solution set of the given inequality is  $(-\infty, 2)$ .

### Question 4:

Solve  $3x + 8 > 2$ , when

(i)  $x$  is an integer      (ii)  $x$  is a real number

#### Solution:

The given inequality is  $3x + 8 > 2$

$$\begin{aligned}
& 3x + 8 > 2 \\
\Rightarrow & 3x + 8 - 8 > 2 - 8 \\
\Rightarrow & 3x > -6 \\
\Rightarrow & \frac{3x}{3} > \frac{-6}{3} \\
\Rightarrow & x > -2
\end{aligned}$$

(i) The integers greater than  $-2$  are  $-1, 0, 1, 2, \dots$

Thus, when  $x$  is an integer, the solutions of the given inequality are  $-1, 0, 1, 2, \dots$

Hence, in this case, the solution set is  $\{-1, 0, 1, 2, \dots\}$ .

(ii) When  $x$  is a real number, the solutions of the given of the inequality are all the real numbers, which are greater than  $-2$ .

Thus, in this case the solution set is  $(-2, \infty)$ .

### Question 5:

Solve the given inequality for real  $x$ :  $4x + 3 < 5x + 7$

**Solution:**

$$\begin{aligned}
& 4x + 3 < 5x + 7 \\
\Rightarrow & 4x + 3 - 7 < 5x + 7 - 7 \\
\Rightarrow & 4x - 4 < 5x \\
\Rightarrow & 4x - 4 - 4x < 5x - 4x \\
\Rightarrow & -4 < x \\
\Rightarrow & x > -4
\end{aligned}$$

Thus, all real numbers  $x$ , which are greater than  $-4$ , are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-4, \infty)$ .

### Question 6:

Solve the given inequality for real  $x$ :  $3x - 7 > 5x - 1$

**Solution:**

$$\begin{aligned}
& 3x - 7 > 5x - 1 \\
\Rightarrow & 3x - 7 + 7 > 5x - 1 + 7 \\
\Rightarrow & 3x > 5x + 6 \\
\Rightarrow & 3x - 5x > 5x + 6 - 5x \\
\Rightarrow & -2x > 6 \\
\Rightarrow & -x > 3 \\
\Rightarrow & x < -3
\end{aligned}$$

Thus, all real numbers  $x$ , which are less than  $-3$ , are the solutions of the given inequality.  
Hence, the solution set of the given inequality is  $(-\infty, -3)$

### Question 7:

Solve the given inequality for real  $x$ :  $3(x-1) \leq 2(x-3)$

#### Solution:

$$\begin{aligned}3(x-1) &\leq 2(x-3) \\ \Rightarrow 3x-3 &\leq 2x-6 \\ \Rightarrow 3x-3+3 &\leq 2x-6+3 \\ \Rightarrow 3x &\leq 2x-3 \\ \Rightarrow 3x-2x &\leq 2x-3-2x \\ \Rightarrow x &\leq -3\end{aligned}$$

Thus, all real numbers  $x$ , which are less than or equal to  $-3$ , are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, -3]$

### Question 8:

Solve the given inequality for real  $x$ :  $3(2-x) \geq 2(1-x)$

#### Solution:

$$\begin{aligned}3(2-x) &\geq 2(1-x) \\ \Rightarrow 6-3x &\geq 2-2x \\ \Rightarrow 6-3x+2x &\geq 2-2x+2x \\ \Rightarrow 6-x &\geq 2 \\ \Rightarrow 6-x-6 &\geq 2-6 \\ \Rightarrow -x &\geq -4 \\ \Rightarrow x &\leq 4\end{aligned}$$

Thus, all real numbers  $x$ , which are less than or equal to  $4$ , are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, 4]$

### Question 9:

Solve the given inequality for real  $x$ :  $x + \frac{x}{2} + \frac{x}{3} < 11$

**Solution:**

$$\begin{aligned}x + \frac{x}{2} + \frac{x}{3} &< 11 \\ \Rightarrow x \left( 1 + \frac{1}{2} + \frac{1}{3} \right) &< 11 \\ \Rightarrow x \left( \frac{6+3+2}{6} \right) &< 11 \\ \Rightarrow \frac{11}{6}x &< 11 \\ \Rightarrow \frac{11x}{6 \times 11} &< \frac{11}{11} \\ \Rightarrow \frac{x}{6} &< 1 \\ \Rightarrow x &< 6\end{aligned}$$

Thus, all real numbers  $x$ , which are less than 6, are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, 6)$ .

**Question 10:**

Solve the given inequality for real  $x: \frac{x}{3} > \frac{x}{2} + 1$ .

**Solution:**

$$\begin{aligned}\frac{x}{3} &> \frac{x}{2} + 1 \\ \Rightarrow \frac{x}{3} - \frac{x}{2} &> 1 \\ \Rightarrow \frac{2x - 3x}{6} &> 1 \\ \Rightarrow -\frac{x}{6} &> 1 \\ \Rightarrow -x &> 6 \\ \Rightarrow x &< -6\end{aligned}$$

Thus, all real numbers  $x$ , which are less than  $-6$ , are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, -6)$

**Question 11:**

Solve the given inequality for real  $x: \frac{3(x-2)}{5} \leq \frac{5(2-x)}{3}$

**Solution:**

$$\begin{aligned}\frac{3(x-2)}{5} &\leq \frac{5(2-x)}{3} \\ \Rightarrow 9(x-2) &\leq 25(2-x) \\ \Rightarrow 9x - 18 &\leq 50 - 25x \\ \Rightarrow 9x + 25x &\leq 50 + 18 \\ \Rightarrow 34x &\leq 68 \\ \Rightarrow x &\leq \frac{68}{34} \\ \Rightarrow x &\leq 2\end{aligned}$$

Thus, all real numbers  $x$ , which are less than or equal to 2, are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, 2]$

**Question 12:**

Solve the given inequality for real  $x: \frac{1}{3}\left(\frac{3x}{5} + 4\right) \geq \frac{1}{3}(x-6)$

**Solution:**

$$\begin{aligned}\frac{1}{2}\left(\frac{3x}{5} + 4\right) &\geq \frac{1}{3}(x-6) \\ \Rightarrow 3\left(\frac{3x}{5} + 4\right) &\geq 2(x-6) \\ \Rightarrow \frac{9x}{5} + 12 &\geq 2x - 12 \\ \Rightarrow 12 + 12 &\geq 2x - \frac{9x}{5} \\ \Rightarrow 24 &\geq \frac{10x - 9x}{5} \\ \Rightarrow 24 &\geq \frac{x}{5} \\ \Rightarrow x &\leq 120\end{aligned}$$

Thus, all real numbers  $x$ , which are less than or equal to 120, are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, 120]$

**Question 13:**

Solve the given inequality for real  $x: 2(2x+3) - 10 < 6(x-2)$

**Solution:**

$$\begin{aligned}2(2x+3) - 10 &< 6(x-2) \\ \Rightarrow 4x + 6 - 10 &< 6x - 12 \\ \Rightarrow 4x - 4 &< 6x - 12 \\ \Rightarrow 12 - 4 &< 6x - 4x \\ \Rightarrow 8 &< 2x \\ \Rightarrow x &> 4\end{aligned}$$

Thus, all real numbers  $x$ , which are greater than 4, are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(4, \infty)$ .

### Question 14:

Solve the given inequality for real  $x$ :  $37 - (3x + 5) \geq 9x - 8(x - 3)$

#### Solution:

$$\begin{aligned}37 - (3x + 5) &\geq 9x - 8(x - 3) \\ \Rightarrow 37 - 3x - 5 &\geq 9x - 8x + 24 \\ \Rightarrow 32 - 3x &\geq x + 24 \\ \Rightarrow 32 - 24 &\geq x + 3x \\ \Rightarrow 8 &\geq 4x \\ \Rightarrow x &< 2\end{aligned}$$

Thus, all real numbers  $x$ , which are less than or equal to 2, are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, 2]$

### Question 15:

Solve the given inequality for real  $x$ :  $\frac{x}{4} < \frac{(5x-2)}{3} + \frac{(7x-3)}{5}$

#### Solution:

$$\begin{aligned}\frac{x}{4} &< \frac{(5x-2)}{3} + \frac{(7x-3)}{5} \\ \Rightarrow \frac{x}{4} &< \frac{5(5x-2) - 3(7x-3)}{15} \\ \Rightarrow \frac{x}{4} &< \frac{25x - 10 - 21x + 9}{3} \\ \Rightarrow \frac{x}{4} &< \frac{4x - 1}{15} \\ \Rightarrow 15x &< 4(4x - 1) \\ \Rightarrow 15x &< 16x - 4 \\ \Rightarrow 4 &< 16x - 15x \\ \Rightarrow x &> 4\end{aligned}$$

Thus, all real numbers  $x$ , which are greater than 4, are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(4, \infty)$

**Question 16:**

Solve the given inequality for real  $x$ :  $\frac{(2x-1)}{3} \geq \frac{(3x-2)}{4} - \frac{(2-x)}{5}$

**Solution:**

$$\begin{aligned}\frac{(2x-1)}{3} &\geq \frac{(3x-2)}{4} - \frac{(2-x)}{5} \\ \Rightarrow \frac{(2x-1)}{3} &\geq \frac{5(3x-2) - 4(2-x)}{20} \\ \Rightarrow \frac{(2x-1)}{3} &\geq \frac{15x-10-8+4x}{20} \\ \Rightarrow \frac{(2x-1)}{3} &\geq \frac{19x-18}{20} \\ \Rightarrow 20(2x-1) &\geq 3(19x-18) \\ \Rightarrow 40x-20 &\geq 57x-54 \\ \Rightarrow 40x-57x &\geq 20-54 \\ \Rightarrow -17x &\geq -34 \\ \Rightarrow x &\leq 2\end{aligned}$$

Thus, all real numbers  $x$ , which are less than or equal to 2, are the solutions of the given inequality.

Hence, the solution set of the given inequality is  $(-\infty, 2]$

**Question 17:**

Solve the given inequality and show the graph of the solution on number line:

$$3x-2 < 2x+1$$

**Solution:**

$$\begin{aligned}3x-2 &< 2x+1 \\ \Rightarrow 3x-2x &< 1+2 \\ \Rightarrow x &< 3\end{aligned}$$

Hence, the solution set of the given inequality is  $(-\infty, 3)$

The graphical representation of the solutions of the given inequality is as follows:



**Question 18:**

Solve the given inequality and show the graph of the solution on number line:

$$5x - 3 \geq 3x - 5$$

**Solution:**

$$\begin{aligned}5x - 3 &\geq 3x - 5 \\ \Rightarrow 5x - 3x &\geq -5 + 3 \\ \Rightarrow 2x &\geq -2 \\ \Rightarrow x &\geq -1\end{aligned}$$

Hence, the solution set of the given inequality is  $[-1, \infty)$

The graphical representation of the solutions of the given inequality is as follows:

**Question 19:**

Solve the given inequality and show the graph of the solution on number line:


$$3(1 - x) < 2(x + 4)$$

**Solution:**

$$\begin{aligned}3(1 - x) &< 2(x + 4) \\ \Rightarrow 3 - 3x &< 2x + 8 \\ \Rightarrow 3 - 8 &< 2x + 3x \\ \Rightarrow -5 &< 5x \\ \Rightarrow x &> -1\end{aligned}$$

Hence, the solution set of the given inequality is  $(-1, \infty)$

The graphical representation of the solution of the inequality is as follows:



**Question 20:**

Solve the given inequality and show the graph of the solution on number line:

$$\frac{x}{2} \geq \frac{(5x-2)}{3} - \frac{(7x-3)}{5}$$

**Solution:**

$$\begin{aligned}\frac{x}{2} &\geq \frac{(5x-2)}{3} - \frac{(7x-3)}{5} \\ \Rightarrow \frac{x}{2} &\geq \frac{25x-10-21x+9}{15} \\ \Rightarrow \frac{x}{2} &\geq \frac{4x-1}{15} \\ \Rightarrow 15x &\geq 8x-2 \\ \Rightarrow 15x-8x &\geq -2 \\ \Rightarrow 7x &\geq -2 \\ \Rightarrow x &\geq -\frac{2}{7}\end{aligned}$$

Hence, the solution set of the given inequality is  $\left[-\frac{2}{7}, \infty\right)$

The graphical representation of the solution of the given inequality is as follows:

**Question 21:**

Ravi obtained 70 and 75 marks in first two-unit test. Find the minimum marks he should get in the third test to have an average of at least 60 marks.

**Solution:**

Let  $x$  be the marks obtained by Ravi in the third unit test.

Since the students should have an average of at least 60 marks,

$$\begin{aligned}\frac{70+75+x}{3} &\geq 60 \\ \Rightarrow 145+x &\geq 180 \\ \Rightarrow x &\geq 180-145 \\ \Rightarrow x &\geq 35\end{aligned}$$

Thus, the student must obtain a minimum of 35 marks to have an average of at least 60 marks.

**Question 22:**

To receive Grade 'A' in a course, one must obtain an average of 90 marks or more in five examinations (each of 100 marks). If Sunita's marks in first four examinations are 87, 92, 94 and 95, find minimum marks that Sunita must obtain in fifth examination to get grade 'A' in the course.

**Solution:**

Let  $x$  be the marks obtained by Sunita in the fifth examination.

In order to receive grade 'A' in the course, she must obtain an average of 90 marks or more in five examinations.

Therefore,

$$\begin{aligned}\frac{87 + 92 + 94 + 95 + x}{5} &\geq 90 \\ \Rightarrow \frac{368 + x}{5} &\geq 90 \\ \Rightarrow 368 + x &\geq 450 \\ \Rightarrow x &\geq 450 - 368 \\ \Rightarrow x &\geq 82\end{aligned}$$

Thus, Sunita must obtain a minimum of 82 marks in the fifth examination

**Question 23:**

Find all pairs of consecutive odd positive integers both of which are smaller than 10 such that their sum is more than 11.

**Solution:**

Let  $x$  be the smaller of the two consecutive odd positive integers. Then, the other integer is  $(x + 2)$

Since both the integers are smaller than 10,

$$\begin{aligned}x + 2 &< 10 \\ \Rightarrow x &< 10 - 2 \\ \Rightarrow x &< 8 \quad \dots(1)\end{aligned}$$

Also, the sum of the two integers is more than 11.

Therefore,

$$\begin{aligned}
& x + (x + 2) > 11 \\
\Rightarrow & 2x + x > 11 \\
\Rightarrow & 2x > 11 - 2 \\
\Rightarrow & 2x > 9 \\
\Rightarrow & x > \frac{9}{2} \\
\Rightarrow & x > 4.5 \quad \dots(2)
\end{aligned}$$

From (1) and (2), we obtain

$$4.5 < x < 8$$

Since  $x$  is an odd positive integer, then values of  $x$  are 5 and 7.

When  $x = 5$ , the pair is  $(5, 7)$  and when  $x = 7$ , the pair is  $(7, 9)$

Thus, the required possible pairs are  $(5, 7)$  and  $(7, 9)$ .

**Question 24:**

Find all pairs of consecutive even positive integers, both of which are larger than 5 such that their sum is less than 23.

**Solution:**

Let  $x$  be the smaller of the two consecutive even positive integers, then the other integer is  $(x + 2)$

Since both the integers are larger than 5,

$$x > 5 \quad \dots(1)$$

Also, the sum of the two integers is less than 23

$$\begin{aligned}
& x + (x + 2) < 23 \\
\Rightarrow & 2x + 2 < 23 \\
\Rightarrow & 2x < 21 \\
\Rightarrow & x < \frac{21}{2} \\
\Rightarrow & x < 10.5. \quad \dots(2)
\end{aligned}$$

From (1) and (2), we obtain

$$5 < x < 10.5.$$

Since  $x$  is an even positive integer, then values of  $x$  are 6, 8 and 10.

When  $x = 6$ , the pair is  $(6,8)$

When  $x = 8$ , the pair is  $(8,10)$

When  $x = 10$ , the pair is  $(10,12)$

Thus, the required possible pairs are  $(6,8)$ ,  $(8,10)$  and  $(10,12)$ .

### Question 25:

The longest side of a triangle is 3 times the shortest side and the third side is 2 cm shorter than the longest side. If the perimeter of the triangle is at least 61 cm, find the minimum length of the shortest side.

### Solution:

Let the length of the shortest side of the triangle in cm be  $x$ .

Then, length of the longest side in cm =  $3x$

Length of the third side in cm =  $(3x - 2)$

Since the perimeter of the triangle is at least 61 cm,

Therefore,

$$\begin{aligned}x + 3x + (3x - 2) &\geq 61 \\ \Rightarrow 7x - 2 &\geq 61 \\ \Rightarrow 7x &\geq 61 + 2 \\ \Rightarrow 7x &\geq 63 \\ \Rightarrow x &\geq \frac{63}{7} \\ \Rightarrow x &> 9\end{aligned}$$

Thus, the minimum length of the shortest side is 9 cm.

### Question 26:

A man wants to cut three lengths from a single piece of board of length 91 cm. The second length is to be 3 cm longer than the shortest and the third length is to be twice as long as the shortest. What are the possible lengths of the shortest board if the third piece is to be at least 5 cm longer than the second?

[Hint: If  $x$  is the length of the shortest board, then  $(x+3)$  and  $2x$  are the length of the second and third piece, respectively. Thus  $x = (x+3) + 2x \leq 91$  and  $2x \geq (x+3) + 5$ ]

**Solution:**

Let the length of the shortest piece in cm be  $x$ .

Then, the length of second and third piece in cm are  $(x+3)$  and  $2x$  respectively.

Since the three lengths are to be cut from a single piece of board of length 91 cm.

$$\begin{aligned}x + (x + 3) + 2x &\leq 91 \\ \Rightarrow 4x + 3 &\leq 91 \\ \Rightarrow 4x &\leq 91 - 3 \\ \Rightarrow 4x &\leq 88 \\ \Rightarrow x &\leq \frac{88}{4} \\ \Rightarrow x &\leq 22 \quad \dots(1)\end{aligned}$$

Also, the third piece is at least 5 cm longer than the second piece.

$$\begin{aligned}2x &\geq (x + 3) + 5 \\ \Rightarrow 2x &\geq x + 8 \\ \Rightarrow 2x - x &\geq 8 \\ \Rightarrow x &\geq 8 \quad \dots(2)\end{aligned}$$

From (1) and (2), we obtain

$$8 \leq x \leq 22$$

Thus, the possible length of the shortest board is greater than or equal to 8 cm but less than or equal to 22 cm.

## EXERCISE 6.2

### Question 1:

Solve the given inequality graphically in two-dimensional plane:  $x + y < 5$

### Solution:

The graphical representation of  $x + y = 5$  is given as dotted line in the figure below. This line divides the  $xy$ -plane in two planes I and II

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0, 0)$ .


It is observed that,

$$0 + 0 < 5 \text{ or } 0 < 5, \text{ which is true}$$

Therefore, half plane II is not the solution region of the given inequality. Also, it is evident that any point on the line does not satisfy the given strict inequality.

Thus, the solution region of the given inequality is the shaded half plane I excluding the points on the line.

This can be represented as follows:



### Question 2:

Solve the given inequality graphically in two-dimensional plane:  $2x + y \geq 6$ .

### Solution:

The graphical representation of  $2x + y = 6$  is given in the figure below. This line divides the  $xy$ -plane in two half planes, I and II.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0, 0)$ .


It is observed that,

$$2(0) + 0 \geq 6 \text{ or } 0 \geq 6, \text{ which is false}$$

Therefore, half plane I is not the solution region of the given inequality. Also, it is evident that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the shaded half plane II including the points on the line.

This can be represented as follows:



### Question 3:

Solve the given inequality graphically in two-dimensional plane:  $3x + 4y \leq 12$ .

### Solution:

The graphical representation of  $3x + 4y = 12$  is given in the figure below. This line divides the  $xy$ -plane in two half planes, I and II.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.


We select the point as  $(0, 0)$ .

It is observed that,

$$3(0) + 4(0) \leq 12 \text{ or } 0 \leq 12, \text{ which is true}$$

Thus, the solution region of the given inequality is the shaded half plane I, including the points on the line.

This can be represented as follows:



#### Question 4:

Solve the given inequality graphically in two-dimensional plane:  $y + 8 \geq 2x$

#### Solution:

The graphical representation of  $y + 8 = 2x$  is given in the figure below. This line divides the  $xy$ -plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0, 0)$ .


It is observed that,

$$0 + 8 \geq 2(0) \text{ or } 8 \geq 0, \text{ which is true}$$

Therefore, lower half plane is not the solution region of the given inequality. Also, it is evident that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the upper half plane containing the points including the line.

The solution region is represented by the shaded region as follows:



### Question 5:

Solve the given inequality graphically in two-dimensional plane:  $x - y \leq 2$

### Solution:

The graphical representation of  $x - y = 2$  is given in the figure below. This line divides the  $xy$ -plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0,0)$ .


It is observed that,

$$0 - 0 \leq 2 \text{ or } 0 \leq 2, \text{ which is true}$$

Therefore, the lower half plane is not the solution region of the given inequality. Also, any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the upper half plane containing the points including the line.

The solution region is represented by the shaded region as follows:



### Question 6:

Solve the given inequality graphically in two-dimensional plane:  $2x - 3y > 6$

### Solution:

The graphical representation of  $2x - 3y = 6$  is given as dotted line in the figure below. This line divides the  $xy$ -plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0, 0)$ .


It is observed that,

$$2(0) - 3(0) > 6 \text{ or } 0 > 6, \text{ which is false}$$

Therefore, the upper half plane is not the solution region of the given inequality. Also, any point on the line does not satisfy the given inequality.

Thus, the solution region of the given inequality is the lower half plane that does not contain the points including the line.

The solution region is represented by the shaded region as follows:



### Question 7:

Solve the given inequality graphically in two-dimensional plane:  $-3x + 2y \geq -6$

### Solution:

The graphical representation of  $-3x + 2y = -6$  is given in the figure below. This line divides the  $xy$ -plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0,0)$ .


It is observed that

$$-3(0) + 2(0) \geq -6 \text{ or } 0 \geq -6, \text{ which is true}$$

Therefore, the lower half plane is not the solution region of the given inequality. Also, it is evident that any point on the line satisfies the given inequality.

Thus, the solution region of the given inequality is the half plane containing the points including the line.

The solution region is represented by the shaded region as follows:



### Question 8:

Solve the given inequality graphically in two-dimensional plane:  $3y - 5x < 30$

### Solution:

The graphical representation of  $3y - 5x = 30$  is given as dotted line in the figure below. This line divides the  $xy$ -plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0, 0)$ .


It is observed that,

$$3(0) - 5(0) < 30 \text{ or } 0 > 30, \text{ which is true}$$

Therefore, the upper half plane is not the solution region of the given inequality. Also, it is evident that any point on the line does not satisfy the given inequality.

Thus, the solution region of the given inequality is the half plane containing the point excluding the line.

The solution region is represented by the shaded region as follows:



### Question 9:

Solve the given inequality graphically in two-dimensional plane:  $y < -2$

### Solution:

The graphical representation of  $y = -2$  is given as dotted line the figure below. This line divides the  $xy$ -plane in two half planes.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0,0)$ .


It is observed that,

$$0 < -2, \text{ which is false}$$

Also, it is evident that any point on the line does not satisfy the given inequality.

Hence, every point below the line,  $y = -2$  (excluding all the points on the line), determine the solution of the given inequality.

The solution region is represented by the shaded region as follows:



**Question 10:**

Solve the given inequality graphically in two-dimensional plane:  $x > -3$

**Solution:**

The graphical representation of  $x = -3$  is given as dotted line in the figure below. This line divides the  $xy$ -plane in two half plates.

Select a point (not on the line), which lies in one of the half planes, to determine whether the point satisfies the given inequality or not.

We select the point as  $(0,0)$ .


It is observed that,

$$0 < -3, \text{ which is true}$$

Also, it is evident that any point on the line does not satisfy the given inequality.

Hence, every point on the right side of the line,  $x = -3$  (excluding all the points on the line), determines the solution of the given inequality.

The solution region is represented by the shaded region as follows:



## EXERCISE 6.3

### Question 1:

Solve the following system of inequality graphically:  $x \geq 3, y \geq 2$ .

### Solution:


$$x \geq 3 \quad \dots(1)$$

$$y \geq 2 \quad \dots(2)$$

The graph of the lines,  $x = 2$  and  $y = 2$ , are drawn in the figure below.

Inequality  $x \geq 3$  represents the region on the right hand side of the line,  $x = 2$  (including the line  $x = 2$ ), and inequality  $y \geq 2$  represents the region above the line,  $y = 2$  (including the line  $y = 2$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follow:



### Question 2:

Solve the following system of inequalities graphically:  $3x + 2y \leq 12, x \geq 1, y \geq 2$ .

**Solution:**

$$3x + 2y \leq 12 \quad \dots(1)$$

$$x \geq 1 \quad \dots(2)$$

$$y \geq 2 \quad \dots(3)$$


The graphs of the lines,  $3x + 2y = 12$ ,  $x = 1$ , and  $y = 2$ , are drawn in the figure below.

Inequality  $3x + 2y \leq 12$  represents the region below the line  $3x + 2y = 12$  (including the line  $3x + 2y = 12$ ).

Inequality  $x \geq 1$  represents the region on the right hand side of the line,  $x = 1$  (including the line  $x = 1$ ).

Inequality  $y \geq 2$  represents the region above the line,  $y = 2$  (including the line  $y = 2$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows:



**Question 3:**

Solve the following system of inequalities graphically:  $2x + y \geq 6$ ,  $3x + 4y \leq 12$ .

**Solution:**

$$2x + y \geq 6 \quad \dots(1)$$


$$3x + 4y \leq 12 \quad \dots(2)$$

The graphs of the lines,  $2x + y = 6$  and  $3x + 4y = 12$  are drawn in the figure below.

Inequality  $2x + y \geq 6$  represents the region below the line,  $2x + y = 6$  (including the line  $2x + y = 6$ ).

Inequality  $3x + 4y \leq 12$  represents the region on the right hand side of the line,  $3x + 4y = 12$  (including the line  $3x + 4y = 12$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows:



#### Question 4:

Solve the following system of inequalities graphically:  $x + y \geq 4$ ,  $2x - y < 0$ .

#### Solution:

$$x + y \geq 4 \quad \dots(1)$$

$$2x - y < 0 \quad \dots(2)$$


The graphs of the lines,  $x + y = 4$  and  $2x - y = 0$  are drawn in the figure below.

Inequality  $x + y \geq 4$  represents the region above the line,  $x + y = 4$  (including the line  $x + y = 4$ ).

It is observed that  $(1, 0)$  satisfies the inequality,  $2x - y < 0$ . Since,  $2(1) - 0 = 2 < 0$

Therefore, Inequality  $2x - y < 0$  represents the half plane corresponding to the line,  $2x - y = 0$ , containing the point  $(1, 0)$  (excluding the line  $2x - y = 0$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the line  $x + y = 4$  and excluding the points on line  $2x - y = 0$  as follows.



### Question 5:

Solve the following system of inequalities graphically:  $2x - y > 1$ ,  $x - 2y < -1$

### Solution:

$$2x - y > 1 \quad \dots(1)$$


$$x - 2y < -1 \quad \dots(2)$$

The graphs of the lines,  $2x - y = 1$  and  $x - 2y = -1$  are drawn in the figure below.

Inequality  $2x - y > 1$  represents the region below the line,  $2x - y = 1$  (excluding the line  $2x - y = 1$ ).

Inequality  $x - 2y < -1$  represents the region on the right hand side of the line,  $x - 2y = -1$  (excluding the line  $x - 2y = -1$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region excluding the points on the respective lines as follows:



**Question 6:**

Solve the following system of inequalities graphically:  $x + y \leq 6, x + y \geq 4$

**Solution:**

$$x + y \leq 6 \quad \dots(1)$$


$$x + y \geq 4 \quad \dots(2)$$

The graphs of the lines,  $x + y = 6$  and  $x + y = 4$  are drawn in the figure below.

Inequality  $x + y \leq 6$  represents the region below the line,  $x + y = 6$  (including the line  $x + y = 6$ ).

Inequality  $x + y \geq 4$  represents the region on the right hand side of the line,  $x + y = 4$  (including the line  $x + y = 4$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows:



**Question 7:**

Solve the following system of inequalities graphically:  $2x + y \geq 8, x + 2y \geq 10$

**Solution:**

$$2x + y \geq 8 \quad \dots(1)$$


$$x + 2y \leq 10 \quad \dots(2)$$

The graphs of the lines,  $2x + y = 8$  and  $x + 2y = 10$  are drawn in the figure below.

Inequality  $2x + y \geq 8$  represents the region below the line,  $2x + y = 8$  (including the line).

Inequality  $x + 2y \leq 10$  represents the region on the right hand side of the line,  $x + 2y = 10$  (including the line).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows:



### Question 8:

Solve the following system of the inequalities graphically:  $x + y \leq 9, y > x, x \geq 0$ .

### Solution:

$$\begin{aligned} x + y &\leq 9 && \dots(1) \\ y &> x && \dots(2) \\ x &\geq 0 && \dots(3) \end{aligned}$$

The graph of the lines,  $x + y = 9$  and  $y = x$ , are drawn in the figure below.


Inequality  $x + y \leq 9$  represents the region below the line,  $x + y = 9$  (including the line  $x + y = 9$ ).

It is observed that  $(0, 1)$  satisfies the inequality,  $y = x$ . Since,  $1 > 0$ .

Therefore, inequality  $y > x$  represents the half plane, corresponding to the line,  $y = x$ , containing the point  $(0, 1)$ , (excluding the line  $y = x$ ).

Inequality  $x \geq 0$  represents the region on the right hand side of the line,  $x = 0$  or  $y$ -axis (including the  $y$ -axis).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the lines,  $x + y = 9$  and  $x = 0$ , but excluding the points on line  $y = x$  as follows:



**Question 9:**

Solve the following system of inequalities graphically:  $5x + 4y \leq 20, x \geq 1, y \geq 2$

**Solution:**

$$5x + 4y \leq 20 \quad \dots(1)$$

$$x \geq 1 \quad \dots(2)$$

$$y \geq 2 \quad \dots(3)$$


The graph of the lines,  $5x + 4y = 20, x = 1$  and  $y = 2$ , are drawn in the figure below.

Inequality  $5x + 4y \leq 20$  represents the region below the line,  $5x + 4y = 20$  (including the line  $5x + 4y = 20$ ).

Inequality  $x \geq 1$  represents the region below the line,  $x = 1$  (including the line  $x = 1$ ).

Inequality  $y \geq 2$  represents the region below the line,  $y = 2$  (including the line  $y = 2$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows:



**Question 10:**

Solve the following system of inequalities graphically:  $3x + 4y \leq 60, x + 3y \leq 30, x \geq 0, y \geq 0$

**Solution:**

$$3x + 4y \leq 60 \quad \dots(1)$$


$$x + 3y \leq 30 \quad \dots(2)$$

The graph of the lines,  $3x + 4y = 60$  and  $x + 3y = 30$ , are drawn in the figure below.

Inequality  $3x + 4y \leq 60$  represents the region below the line,  $3x + 4y = 60$  (including the line  $3x + 4y = 60$ ).

Inequality  $x + 3y \leq 30$  represents the region the line,  $x + 3y = 30$  (including the line  $x + 3y = 30$ ).

Since  $x \geq 0$  and  $y \geq 0$  every point in the common shaded region in the first quadrant including the points on the respective line and the axes represents the solution of the given system of linear inequalities as follows:



### Question 11:

Solve the following system of inequalities graphically:  $2x + y \geq 4$ ,  $x + y \leq 3$ ,  $2x - 3y \leq 6$

### Solution:

$$2x + y \geq 4 \quad \dots(1)$$

$$x + y \leq 3 \quad \dots(2)$$

$$2x - 3y \leq 6 \quad \dots(3)$$


The graph of the lines,  $2x + y = 4$ ,  $x + y = 3$  and  $2x - 3y = 6$ , are drawn in the figure below.

Inequality  $2x + y \geq 4$  represents the region above the line,  $2x + y = 4$  (including the line).

Inequality  $x + y \leq 3$  represents the region below the line,  $x + y = 3$  (including the line).

Inequality  $2x - 3y \leq 6$  represents the region above the line,  $2x - 3y = 6$  (including the line).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows:



### Question 12:

Solve the following system of inequalities graphically:

$$x - 2y \leq 3, 3x + 4y \geq 12, x \geq 0, y \geq 1$$

### Solution:

$$x - 2y \leq 3 \quad \dots(1)$$

$$3x + 4y \geq 12 \quad \dots(2)$$

$$y \geq 1 \quad \dots(3)$$

$$x \geq 0 \quad \dots(4)$$

The graphs of the lines,  $x - 2y = 3$ ,  $3x + 4y = 12$  and  $y = 1$  are drawn in the figure below.


Inequality  $x - 2y \leq 3$  represents the region above the line,  $x - 2y = 3$  (including the line).

Inequality  $3x + 4y \geq 12$  represents region above the line,  $3x + 4y = 12$  (including the line).

Inequality  $y \geq 1$  represents the region above the line,  $y = 1$  (including the line).

Inequality  $x \geq 0$  represents the region on the right and side of  $y$ -axis (including  $y$ -axis).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines and  $y$ -axis as follows:



### Question 13:

Solve the following system of inequalities graphically:

$$4x + 3y \leq 60, y \geq 2x, x \geq 3, x, y \geq 0.$$

### Solution:

$$4x + 3y \leq 60 \quad \dots(1)$$

$$y \geq 2x \quad \dots(2)$$

$$x \geq 3 \quad \dots(3)$$


The graph of the lines,  $4x + 3y = 60$ ,  $y = 2x$ , and  $x = 3$ , are drawn in the figure below.

Inequality  $4x + 3y \leq 60$  represents the region below the line,  $4x + 3y = 60$  (including the line  $4x + 3y = 60$ ).

Inequality  $y \geq 2x$  represents the region above the line,  $y = 2x$  (including the line  $y = 2x$ ).

Inequality  $x \geq 3$  represents the region on the right hand side of the line,  $x = 3$  (including the line  $x = 3$ ).

Hence, the solution of the given system of linear inequalities is represented by the common shaded region including the points on the respective lines as follows:



**Question 14:**

Solve the following system of inequalities graphically:

$$3x + 2y \leq 150, x + 4y \leq 80, x \leq 15, y \geq 0, x \geq 0$$

**Solution:**

$$3x + 2y \leq 150 \quad \dots(1)$$

$$x + 4y \leq 80 \quad \dots(2)$$

$$x \leq 15 \quad \dots(3)$$


The graph of the lines  $3x + 2y = 150$ ,  $x + 4y = 80$  and  $x = 15$ , are drawn in the figure below.

Inequality  $3x + 2y \leq 150$  represents the region below the line,  $3x + 2y = 150$  (including the line  $3x + 2y = 150$ ).

Inequality  $x + 4y \leq 80$  represents the region below the line,  $x + 4y = 80$  (including the line  $x + 4y = 80$ ).

Inequality  $x \leq 15$  represents the region on the left hand side the line,  $x = 15$  (including the line  $x = 15$ ).

Since  $x \geq 0$  and  $y \geq 0$ , every point in the common shaded region in the first quadrant including the points on the respective lines and the axes represents the solution of the given system of linear inequalities as follows:



### Question 15:

Solve the following system of inequalities graphically:

$$x + 2y \leq 10, x + y \geq 1, x - y \leq 0, x \geq 0, y \geq 0$$

### Solution:

$$x + 2y \leq 10 \quad \dots(1)$$

$$x + y \geq 1 \quad \dots(2)$$

$$x - y \leq 0 \quad \dots(3)$$


The graph of the lines,  $x + 2y = 10$ ,  $x + y = 1$  and  $x - y = 0$  are drawn in the figure below.

Inequality  $x + 2y \leq 10$  represents the region below the line,  $x + 2y = 10$  (including the line  $x + 2y = 10$ ).

Inequality  $x + y \geq 1$  represents the region above the line,  $x + y = 1$  (including the line  $x + y = 1$ ).

Inequality (3) represents the region above the line,  $x - y = 0$  (including the line  $x - y = 0$ ).

Since  $x \geq 0$  and  $y \geq 0$ , every point in the common shaded region in the first quadrant including the points on the respective lines and the axes represents the solution of the given system of linear inequalities as follows:



## MISCELLANEOUS EXERCISE

### Question 1:

Solve the inequality  $2 \leq 3x - 4 \leq 5$

#### Solution:

$$2 \leq 3x - 4 \leq 5$$

$$\Rightarrow 2 + 4 \leq 3x - 4 + 4 \leq 5 + 4$$

$$\Rightarrow 6 \leq 3x \leq 9$$

$$\Rightarrow 2 \leq x \leq 3$$

Thus, all the real numbers,  $x$ , which are greater than or equal to 2 but less than or equal to 3, are the solutions of the given inequality.

The solution set for the given inequality is  $[2, 3]$ .

### Question 2:

Solve the inequality  $6 \leq -3(2x - 4) < 12$

#### Solution:

$$6 \leq -3(2x - 4) < 12$$

$$\Rightarrow 2 \leq -(2x - 4) < 4$$

$$\Rightarrow -2 \geq 2x - 4 > -4$$

$$\Rightarrow 4 - 2 \geq 2x > 4 - 4$$

$$\Rightarrow 2 \geq 2x > 0$$

$$\Rightarrow 1 \geq x > 0$$

$$\Rightarrow 0 < x \leq 1$$

Thus, the solution set for the given inequality is  $(0, 1]$ .

### Question 3:

Solve the inequality  $-3 \leq 4 - \frac{7x}{2} \leq 18$

**Solution:**

$$\begin{aligned} -3 &\leq 4 - \frac{7x}{2} \leq 18 \\ \Rightarrow -3 - 4 &\leq -\frac{7x}{2} \leq 18 - 4 \\ \Rightarrow -7 &\leq -\frac{7x}{2} \leq 14 \\ \Rightarrow 7 &\geq \frac{7x}{2} \geq -14 \\ \Rightarrow 1 &\geq \frac{x}{2} \geq -2 \\ \Rightarrow 2 &\geq x \geq -4 \\ \Rightarrow -4 &< x < 2 \end{aligned}$$

Thus, the solution set for the given inequality is  $[-4, 2]$ .

**Question 4:**

Solve the inequality  $-15 < \frac{3(x-2)}{5} \leq 0$

**Solution:**

$$\begin{aligned} -15 &< \frac{3(x-2)}{5} \leq 0 \\ \Rightarrow -75 &< 3(x-2) \leq 0 \\ \Rightarrow -25 &< x-2 \leq 0 \\ \Rightarrow -25+2 &< x \leq 2 \\ \Rightarrow -23 &< x \leq 2 \end{aligned}$$

Thus, the solution set for the given inequality is  $(-23, 2]$

**Question 5:**

Solve the inequality  $-12 < 4 - \frac{3x}{-5} \leq 2$

**Solution:**

$$\begin{aligned} -12 &< 4 - \frac{3x}{-5} \leq 2 \\ \Rightarrow -12 - 4 &< \frac{3x}{5} \leq 2 - 4 \\ \Rightarrow -16 &< \frac{3x}{5} \leq -2 \\ \Rightarrow -80 &< 3x \leq -10 \\ \Rightarrow \frac{-80}{3} &< x \leq \frac{-10}{3} \end{aligned}$$

Thus, the solution set for the given inequality is  $\left(\frac{-80}{3}, \frac{-10}{3}\right]$ .

**Question 6:**

Solve the inequality  $7 \leq \frac{(3x+11)}{2} \leq 11$

**Solution:**

$$\begin{aligned}7 &\leq \frac{(3x+11)}{2} \leq 11 \\ \Rightarrow 14 &\leq 3x+11 \leq 22 \\ \Rightarrow 14-11 &\leq 3x \leq 22-11 \\ \Rightarrow 3 &\leq 3x \leq 11 \\ \Rightarrow 1 &\leq x \leq \frac{11}{3}\end{aligned}$$

Thus, the solution set for the given inequality is  $\left[1, \frac{11}{3}\right]$ .

**Question 7:**

Solve the inequalities and represent the solution graphically on number line.

$$5x+1 > -24, 5x-1 < 24$$

**Solution:**

$$\begin{aligned}5x+1 &> -24 \\ \Rightarrow 5x &> -25 \\ \Rightarrow x &> -5 \quad \dots(1)\end{aligned}$$

$$\begin{aligned}5x-1 &< 24 \\ \Rightarrow 5x &< 25 \\ \Rightarrow x &< 5 \quad \dots(2)\end{aligned}$$

From (1) and (2), we get,  $-5 < x < 5$

Hence, it can be concluded that the solution set for the given system of inequalities is  $(-5, 5)$ .

The solution of the given system of inequalities can be represented on number line as



**Question 8:**

Solve the inequalities and represent the solution graphically on number line:

$$2(x-1) < x+5, 3(x+2) > 2-x$$

**Solution:**

$$2(x-1) < x+5$$

$$\Rightarrow 2x-2 < x+5$$

$$\Rightarrow 2x-x < 5+2$$

$$\Rightarrow x < 7 \quad \dots(1)$$

$$3(x+2) > 2-x$$

$$\Rightarrow 3x+6 > 2-x$$

$$\Rightarrow 3x+x > 2-6$$


$$\Rightarrow 4x > -4$$

$$\Rightarrow x > -1 \quad \dots(2)$$

From (1) and (2), we get,  $-1 < x < 7$

Hence, it can be concluded that the solution set for the given system of inequalities is  $(-1, 7)$ .

The solution of the given system of inequalities can be represented on number line as

**Question 9:**

Solve the inequalities and represent the solution graphically on number line:

$$3x-7 > 2(x-6), 6-x > 11-2x$$

**Solution:**

$$3x-7 > 2(x-6)$$

$$\Rightarrow 3x-7 > 2x-12$$

$$\Rightarrow 3x-2x > -12+7$$


$$\Rightarrow x > -5 \quad \dots(1)$$

$$\begin{aligned}
 6 - x &> 11 - 2x \\
 \Rightarrow -x + 2x &> 11 - 6 \\
 \Rightarrow x &> 5 \quad \dots(2)
 \end{aligned}$$

From (1) and (2), we get,  $-5 < x > 5$

Hence, it can be concluded that the solution set for the given system of inequalities is  $(5, \infty)$ .

The solution of the given system of inequalities can be represented on number line as



#### Question 10:

Solve the inequalities and represent the solution graphically on number line:

$$5(2x - 7) - 3(2x + 3) \leq 0, 2x + 19 \leq 6x + 47$$

**Solution:**

$$\begin{aligned}
 5(2x - 7) - 3(2x + 3) &\leq 0 \\
 \Rightarrow 10x - 35 - 6x - 9 &\leq 0 \\
 \Rightarrow 4x - 44 &\leq 0 \\
 \Rightarrow 4x &\leq 44 \\
 \Rightarrow x &\leq 11 \quad \dots(1)
 \end{aligned}$$

$$\begin{aligned}
 2x + 19 &\leq 6x + 47 \\
 \Rightarrow 19 - 47 &\leq 6x - 2x \\
 \Rightarrow -28 &\leq 4x \\
 \Rightarrow -7 &\leq x \quad \dots(2)
 \end{aligned}$$

From (1) and (2), we get,  $-7 \leq x \leq 11$

Hence, it can be concluded that the solution set for the given system of inequalities is  $[-7, 11]$ .

The solution of the given system of inequalities can be represented on number line as



### Question 11:

A solution is to be kept between  $68^{\circ}F$  and  $77^{\circ}F$ . What is the range in temperature in degree Celsius (C) if the Celsius / Fahrenheit (F) conversion formula is given by  $F = \frac{9}{5}C + 32$ ?

### Solution:

Since the solution is to be kept between  $68^{\circ}F$  and  $77^{\circ}F$ ,  $68^{\circ} < F < 77^{\circ}$

Putting  $F = \frac{9}{5}C + 32$ , we obtain

$$68 < \frac{9}{5}C + 32 < 77$$

$$\Rightarrow 68 - 32 < \frac{9}{5}C < 77 - 32$$

$$\Rightarrow 36 < \frac{9}{5}C < 45$$

$$\Rightarrow 36 \times \frac{5}{9} < C < 45 \times \frac{5}{9}$$

$$\Rightarrow 20 < C < 25$$

Thus, the required range of temperature in degree Celsius is between  $20^{\circ}C$  and  $25^{\circ}C$ .

### Question 12:

A solution of 8% boric acid is to be diluted by adding a 2% boric acid solution to it. The resulting mixture is to be more than 4% but less than 6% boric acid. If we have 640 litres of the 8% solution, how many litres of the 2% solution will have to be added?

### Solution:

Let  $x$  litres of 2% boric acid solution is required to be added.

Then, total mixture =  $(x + 640)$  litres

This resulting mixture is to be more than 4% but less than 6% boric acid.

Therefore,  $2\%x + 8\%$  of 640  $>$  4% of  $(x + 640)$  and  $2\%x + 8\%$  of 640  $<$  6% of  $(x + 640)$

$$2\%x + 8\% \text{ of } 640 > 4\% \text{ of } (x + 640)$$

$$\Rightarrow \frac{2}{100}x + \frac{8}{100}(640) > \frac{4}{100}(x + 640)$$

$$\Rightarrow 2x + 5120 > 4x + 2560$$

$$\Rightarrow 5120 - 2560 > 4x - 2x$$

$$\Rightarrow 2560 > 2x$$

$$\Rightarrow x < 1280 \quad \dots(1)$$

$$\begin{aligned}
& 2\%x + 8\% \text{ of } 640 < 6\% \text{ of } (x + 640) \\
\Rightarrow & \frac{2}{100}x + \frac{8}{100}(640) < \frac{6}{100}(x + 640) \\
\Rightarrow & 2x + 5120 < 6x + 2560 \\
\Rightarrow & 5120 - 2560 < 6x - 2x \\
\Rightarrow & 2560 < 3x \\
\Rightarrow & x > 320 \quad \dots(2)
\end{aligned}$$

From (1) and (2), we get,  $320 < x < 1280$

Thus, the number of litres of 2% of boric acid solution that is to be added will have to be more than 320 litres but less than 1280 litres.

### Question 13:

How many litres of water will have to be added to 1125 litres of the 45% solution of acid so that the resulting mixture will contain more than 25% but less than 30% acid content?

### Solution:

Let  $x$  litres of water is required to be added.

Then, total mixture =  $(1125 + x)$  litres

It is evident that the amount of acid contained in the resulting mixture is 45% of 1125 litres. This resulting mixture will contain more than 25% but less than 30% acid content.

Therefore, 30% of  $(1125 + x) > 45\%$  of 1125 and 25% of  $(1125 + x) < 45\%$  of 1125

$$\begin{aligned}
& 30\% \text{ of } (1125 + x) > 45\% \text{ of } 1125 \\
\Rightarrow & \frac{30}{100}(1125 + x) > \frac{45}{100} \times 1125 \\
\Rightarrow & 30(1125 + x) > 45 \times 1125 \\
\Rightarrow & 30 \times 1125 + 30x > 45 \times 1125 \\
\Rightarrow & 30x > 45 \times 1125 - 30 \times 1125 \\
\Rightarrow & 30x > (45 - 30) \times 1125 \\
\Rightarrow & x > \frac{15 \times 1125}{30} \\
\Rightarrow & x > 562.5 \quad \dots(1)
\end{aligned}$$

$$25\% \text{ of } (1125 + x) < 45\% \text{ of } 1125$$

$$\Rightarrow \frac{25}{100}(1125 + x) < \frac{45}{100} \times 1125$$

$$\Rightarrow 25(1125 + x) < 45 \times 1125$$

$$\Rightarrow 25 \times 1125 + 25x < 45 \times 1125$$

$$\Rightarrow 25x < 45 \times 1125 - 25 \times 1125$$

$$\Rightarrow 25x < (45 - 25) \times 1125$$

$$\Rightarrow x < \frac{20 \times 1125}{25}$$

$$\Rightarrow x < 900 \quad \dots(2)$$

From (1) and (2), we get,  $562.5 < x < 900$

Thus, the required number of litres of water that is to be added will have to be more than 562.5 litres but less than 900 litres.

#### Question 14:

IQ of a person is given by the formula

$$IQ = \frac{MA}{CA} \times 100$$

where MA is mental age and CA is chronological age. If  $80 \leq IQ \leq 140$  for a group of 12 years old children, find the range of their mental age.

#### Solution:

It is given that for a group of 12 years old children,  $80 \leq IQ \leq 140 \quad \dots(1)$

For a group of 12 years old children,  $CA = 12$  years

Therefore,  $IQ = \frac{MA}{12} \times 100$

Putting this value of IQ in (1), we obtain

$$\begin{aligned}80 &\leq \frac{MA}{12} \times 100 \leq 140 \\ \Rightarrow 80 \times \frac{12}{100} &\leq MA \leq 140 \times \frac{12}{100} \\ \Rightarrow 9.6 &\leq MA \leq 16.8\end{aligned}$$

Thus, the range of mental age of the group of 12 years old children is  $9.6 \leq MA \leq 16.8$ .

Gyanajal